

## **Historic, archived document**

Do not assume content reflects current scientific knowledge, policies, or practices.



216  
52,81

# Howell Nurseries

BOYDS BRIDGE ROAD

KNOXVILLE, TENNESSEE

Phone: 3-2426

SWEETWATER, TENNESSEE

Autumn  
1938

## PRICE - LIST

Spring  
1939



THIS PRICE-LIST is supplementary to and a part of our regular descriptive catalogue, and is issued periodically. In it you are likely to find items not listed in the catalogue; on the other hand, some items in the catalogue will not be priced in this list, as our stock varies from season to season. Our aim is to have the old standard varieties as well as the best of the new ones.

You are invited cordially to come out to the nursery to see our stock as it grows in the fields. If you are interested in plants, we feel sure that we can make your visit of interest, as we delight in showing our stock. We wish to be of service to you should you have problems in either growing or planting. Do not forget to come out and ramble around. If you want something that we do not have, we will try to secure it.

If you have not received our descriptive list, or have lost your copy, we will be pleased to send you another.

Autumn  
1938

# HOWELL NURSERIES

Spring  
1939



Garden of Hardy Azaleas. *Amoena* in circle

This Price-List is arranged alphabetically for your convenience in using our descriptive Catalogue. All previously published quotations are canceled by this List.

Plants selected and tagged at the nursery are charged for individually according to value, and these prices do not apply.

Plants marked B&B are balled and burlapped for greater safety in handling and planting.

See our descriptive Catalogue for terms of sale. We do not guarantee plants to grow, but if we think that proper care and attention have been given them, we will replace at half price all plants that have died the first season.

|  | Each   | Each   |        |
|--|--------|--|--------|
| <i>Abelia grandiflora</i> . 18 to 24 in., B&B.....                                   | \$0 50 | <i>Ampelopsis quinquefolia</i> . 2-yr.....             | \$0 50 |
| 2 to 3 ft., B&B.....   | 75     | <i>A. veitchi</i> . 2-yr.....                          | 50     |
| Heavy cut-back specimens, B&B.....   | 1 00   | <i>Aralia pentaphylla</i> . 2 to 3 ft.....             | 50     |
| <i>A. grandiflora</i> , Edward Goucher. An absolutely new plant with a great future. |        | 3 to 4 ft.....   | 75     |
| 2-yr., B&B.....  | 1 50   | Larger specimens priced on application.                |        |
| <i>Abies concolor</i> . 18 to 24 in., B&B.....                                       | 2 00   | <i>A. spinosa</i> . 2 to 3 ft.....                     | 50     |
| <i>Acer palmatum</i> . 4 to 5 ft., B&B.....  | 3 50   | 3 to 4 ft.....   | 75     |
| Larger specimens priced on application.  |        | 4 to 5 ft.....   | 1 00   |
| <i>A. palmatum atropurpureum</i> . 2 to 3 ft., B&B.                                  | 3 50   | 5 to 6 ft.....   | 1 50   |
| 3 to 4 ft., B&B.....   | 5 00   | <i>Aronia arbutifolia</i> . 3 ft.....                  | 50     |
| 4 to 5 ft., B&B.....   | 7 50   | <i>A. arbutifolia brilliantissima</i> . 2 to 3 ft..... | 50     |
| <i>A. platanoides</i> . 8 to 10 ft.....  | 2 50   | 3 to 4 ft.....   | 75     |
| 10 to 12 ft.....   | 3 50   | <i>A. melanocarpa</i> . 2 to 3 ft.....                 | 50     |
| 12 to 14 ft.....   | 6 00   | <i>Aucuba japonica</i> . 18 to 24 in., B&B.....        | 2 50   |
| 14 to 16 ft.....   | 10 00  | 2 to 3 ft., B&B.....                                   | 3 50   |
| <i>A. platanoides schwedleri</i> . 8 to 10 ft....                                    | 3 50   | <i>A. japonica variegata</i> . 12 to 18 in., B&B....   | 1 50   |
| <i>A. rubrum</i> . 8 to 10 ft.....   | 3 50   | 18 to 24 in., B&B.....                                 | 2 50   |
| <i>A. saccharum</i> . 6 to 8 ft.....   | 1 50   | 2 to 3 ft., B&B.....                                   | 3 50   |
| 8 to 10 ft.....  | 2 50   | <b>Azaleas, Japanese Evergreen</b>                     |        |
| 10 to 12 ft.....   | 3 00   | <i>Azalea amoena</i> . 15 in., B&B.....                | 1 50   |
| 14 to 16 ft.....   | 4 00   | 18 in., B&B.....                                       | 2 00   |
| 16 to 18 ft.....   | 5 00   | 2 ft., B&B.....  | 2 50   |
| <i>Actinidia arguta</i> . 2-yr.....  | 1 50   | <i>A.</i> , <i>Benigiri</i> . 15 in., B&B.....         | 1 50   |
| <i>Æsculus pavia</i> . 12 to 18 in.....  | 1 00   | 18 in., B&B.....                                       | 2 00   |
| <i>Akebia quinata</i> . 2-yr.....  | 50     | 2 to 3 ft., B&B.....                                   | 3 50   |
| <i>Albizia julibrissin</i> . 2 to 3 ft.....  | 75     | <i>A.</i> , <i>Carmen</i> . 18 to 24 in., B&B.....     | 2 00   |
| 3 to 4 ft.....   | 1 00   | <i>A.</i> , <i>Christmas Cheer</i> . 15 in., B&B.....  | 1 50   |
| 4 to 6 ft.....   | 1 25   | 18 in., B&B.....                                       | 2 00   |
| 6 to 8 ft.....   | 1 50   | <i>A.</i> , <i>Cleopatra</i> . 18 to 24 in., B&B.....  | 2 00   |
| 8 to 10 ft.....  | 2 50   | <i>A.</i> , <i>Fujimoyo</i> . 18 to 24 in., B&B.....   | 2 00   |
| Larger specimens priced on application.  |        | <i>A.</i> , <i>hinodegiri</i> . 12 in., B&B.....       | 1 00   |
| <i>Amelanchier canadensis</i> . 8 to 10 ft.....                                      | 1 50   | 15 in., B&B.....                                       | 1 50   |
| <i>Amorpha fruticosa</i> . 2 to 3 ft.....  | 50     | 18 in., B&B.....                                       | 2 00   |
| 3 to 4 ft.....   | 75     |  |        |



J. H. McF. Co.

Japanese Barberry (*Berberis thunbergi*)

|  | Each       |  | Each   |
|--|------------|--|--------|
| <b>Azalea, Hinomayo.</b> 12 in., B&B.....              | \$1 00     | <b>Berberis thunbergi.</b> 12 to 15 in.....            | \$0 35 |
| 15 in., B&B.....                                       | 1 50       | 15 to 18 in.....                                       | 50     |
| 18 in., B&B.....                                       | 2 00       | 2 to 3 ft.....   | 75     |
| 2 ft., B&B.....  | 2 50       | <b>B. thunbergi atropurpurea.</b> 12 to 15 in.....     | 50     |
| 2 to 3 ft., B&B.....                                   | 3 50       | 15 to 18 in.....                                       | 75     |
| <b>A. indica alba.</b> 18 in., B&B.....                | 1 50       | 18 to 24 in.....                                       | 1 00   |
| 2 ft., B&B.....  | 2 50       | 2 to 3 ft., B&B.....                                   | 1 50   |
| <b>A. kaempferi.</b> 18 in., B&B.....                  | 2 00       | <b>B. thunbergi pluriflora erecta.</b>                 |        |
| <b>A., Koster Hybrids.</b> 12 to 15 in., B&B.....      | 1 50       | 18 to 24 in., B&B.....                                 | 1 00   |
| 15 to 18 in., B&B.....                                 | 2 00       | 2 to 2½ ft., B&B.....                                  | 1 50   |
| 18 to 24 in., B&B.....                                 | 2 50       | <b>B. wilsonae.</b> 18 to 24 in., B&B.....             | 1 00   |
| 24 to 30 in., B&B.....                                 | 3 00       | <b>Betula alba.</b> 2 to 3 ft.....                     | 1 00   |
| <b>A. ledifolia alba.</b> 15 to 18 in., B&B.....       | 1 50       | 7 to 8 ft.....   | 2 00   |
| <b>A., Louise.</b> 2 to 2½ ft., B&B.....               | 2 50       | <b>B. alba pendula laciniata.</b> 7 to 8 ft.....       | 5 00   |
| <b>A. macrantha.</b> 12 in., B&B.....                  | 1 00       | <b>B. lenta.</b> 5 to 7 ft.....                        | 1 50   |
| 15 in., B&B.....                                       | 1 50       | <b>Bignonia, Mme. Gallen.</b> 3-in. pots.....          | 50     |
| 18 in., B&B.....                                       | 2 00       | <b>Boussingaultia baselloides.</b> Bulbs.....          | 25     |
| 21 in., B&B.....                                       | 2 50       | <b>Buddleia alternifolia.</b> 3 to 4 ft.....           | 1 00   |
| <b>A. poukhanensis.</b> 12 in., B&B.....               | 1 00       | <b>B. lindleyana.</b> 2 to 3 ft.....                   | 75     |
| 15 in., B&B.....                                       | 1 50       | <b>B. variabilis.</b> 2 to 3 ft.....                   | 50     |
| 18 in., B&B.....                                       | 2 00       | <b>B. variabilis, Ile de France.</b> 2 to 3 ft.....    | 50     |
| <b>A., Snow.</b> 12 to 15 in., B&B.....                | 1 50       | 3 to 4 ft.....   | 75     |
| <b>A. yodogawa.</b> 2 to 3 ft., B&B.....               | 2 50       | <b>Buxus sempervirens.</b> 10 to 12 in., B&B.....      | 1 00   |
| Larger specimens of all Azaleas priced on application. |            | 12 to 15 in., B&B.....                                 | 1 50   |
| <b>Azaleas, Native</b>                                 |            | 15 to 18 in., B&B.....                                 | 2 00   |
| <b>Azalea arborescens.</b>                             |            | 18 to 24 in., B&B.....                                 | 2 50   |
| Nice plants, B&B.....                                  | \$2.00 and | 2 to 2½ ft., B&B.....                                  | 5 00   |
| <b>A. calendulacea.</b> Nice plants, B&B. \$2.00 and   | 2 50       | 2½ to 3 ft., B&B.....                                  | 6 00   |
| <b>A. canescens.</b> Nice plants, B&B.....             | 2 00       | <b>B. sempervirens aurea.</b> B&B.                     |        |
| <b>A. nudiflora.</b> Nice plants, B&B.....             | 2 00       | Large specimens priced on application.                 |        |
| <b>A. vaseyi.</b> Nice plants, B&B.....                | 2 00       | <b>B. sempervirens suffruticosa.</b> 3 to 4 in., B&B.. | 25     |
| <b>Baccharis halimifolia.</b> 2 to 3 ft.....           | 1 00       | 4 to 6 in., B&B.....                                   | 35     |
| 4 to 5 ft.....   | 1 50       | 6 to 8 in., B&B.....                                   | 50     |
| <b>Bambusa aurea.</b> Clumps.....                      | 1 00       | 8 to 10 in., B&B.....                                  | 1 00   |
| <b>B. palmata.</b> Clumps.....                         | 1 00       | <b>Callicarpa americana.</b> 2 to 3 ft.....            | 50     |
| <b>B., unnamed dwarf varieties.</b> Small.....         | 50         | 3 to 4 ft.....   | 75     |
| Large.....   | 1 00       | <b>C. purpurea.</b> 2 to 3 ft.....                     | 50     |
| <b>Benzoin aestivale.</b> 4 to 5 ft.....               | 1 00       | <b>Calluna vulgaris.</b> 8 to 10 in., B&B.....         | 75     |
| <b>Berberis ilicifolia.</b> 2 to 3 ft., B&B.....       | 1 50       | 12 to 15 in., B&B.....                                 | 1 00   |
| <b>B. julianae.</b> 4-yr., B&B.....                    | 1 50       | <b>Calycanthus floridus.</b> 2 to 3 ft.....            | 50     |
| 6-yr., B&B.....  | 2 50       | <b>Caryopteris mastacanthus.</b> 18 to 24 in.....      | 50     |
| <b>B. mentorensis.</b> 1½ to 2 ft., B&B.....           | 2 00       | 2 to 3 ft.....   | 75     |
| 2 to 3 ft., B&B.....                                   | 2 50       | <b>Catalpa bungei.</b>                                 |        |
| <b>B. sargentiana.</b> 12 to 18 in., B&B.....          | 1 50       | 2-yr. heads, budded on 5 to 6-ft. stems..              | 1 50   |
| 18 to 24 in., B&B.....                                 | 2 00       | 3-yr. heads, budded on 5 to 6-ft. stems..              | 2 50   |
| 2 to 3 ft., B&B.....                                   | 2 50       |  |        |

|  | Each   |   | Each   |
|--|--------|---|--------|
| <i>Castanea mollissima</i> . 2 to 3 ft.                | \$1 00 | <i>Chamaecyparis pisifera plumosa aurea</i> . | Each   |
| 3 to 4 ft.   | 1 25   | 2 to 3 ft., B&B.                              | \$1 50 |
| 4 to 5 ft.   | 1 50   | 3 to 4 ft., B&B.                              | 2 00   |
| 5 to 6 ft.   | 1 75   | <i>C. pisifera squarrosa veitchii</i> .       |        |
| 6 to 8 ft.   | 2 00   | 18 to 24 in., B&B.                            | 1 50   |
| 8 to 10 ft.  | 2 50   | <i>Chamaedaphne calyculata</i> .              | 1 50   |
| <i>C. pumila</i> . 2 to 3 ft.                          | 1 00   | 12 to 15 in., B&B.                            | 1 50   |
| 3 to 4 ft.   | 1 50   | 15 to 18 in., B&B.                            | 2 00   |
| <i>Ceanothus americanus</i> . 18 to 24 in.             | 50     | <i>Chionanthus virginica</i> .                | 1 50   |
| 2 to 2½ ft.  | 75     | 2 to 3 ft., B&B.                              | 2 00   |
| <i>C., Gloire de Versailles</i> . 12 to 18 in., B&B.   | 1 00   | 3 to 4 ft., B&B.                              | 2 50   |
| 18 to 24 in., B&B.                                     | 1 50   | 4 to 5 ft., B&B.                              | 3 50   |
| 2 to 3 ft., B&B.                                       | 2 00   | 5 to 6 ft., B&B.                              |        |
| <i>Cedrus atlantica</i> . 18 to 24 in., B&B.           | 1 50   | <i>Citrus trifoliata</i> .                    | 75     |
| 2 to 3 ft., B&B.                                       | 2 50   | 2 to 3 ft.                                    | 1 00   |
| 3 to 4 ft., B&B.                                       | 3 50   | 3 to 4 ft.                                    | 75     |
| <i>C. atlantica glauca</i> . 12 to 14 in., B&B.        | 17 50  | <i>Cladrastis lutea</i> .                     | 50     |
| <i>C. deodara</i> . 18 to 24 in., B&B.                 | 1 00   | 2 to 3 ft.                                    | 75     |
| 2 to 3 ft., B&B.                                       | 1 50   | 3 to 4 ft.                                    | 1 00   |
| 3 to 4 ft., B&B.                                       | 2 00   | 5 to 6 ft.                                    |        |
| 4 to 5 ft., B&B.                                       | 2 50   | <i>Clematis jackmani</i> .                    | 1 00   |
| <i>C. libani</i> . 18 to 24 in., B&B.                  | 1 50   | 2-yr.   |        |
| 2 to 3 ft., B&B.                                       | 2 00   | <i>C., Mme. Edouard Andre</i> .               | 1 00   |
| Larger specimens priced on application.                |        | 2-yr.   |        |
| <i>Celastrus orbiculatus</i> . 2 to 3 ft.              | 50     | <i>C. paniculata</i> .                        | 50     |
| 3 to 4 ft.   | 75     | 3 to 4 ft.                                    |        |
| <i>C. scandens</i> . 2 to 3 ft.                        | 50     | <i>Clethra alnifolia</i> .                    | 75     |
| Large plants   | 1 00   | 2 to 3 ft.                                    |        |
| <i>Cephalotaxus fortuni</i> . 18 to 24 in., B&B.       | 1 00   | Larger clumps.                                | 1 00   |
| 2 to 3 ft., B&B.                                       | 1 50   | <i>Colutea arborescens</i> .                  | 50     |
| 3 to 4 ft., B&B.                                       | 2 50   | 18 to 24 in.                                  |        |
| Larger specimens priced on application.                |        | 3 to 4 ft.                                    | 75     |
| <i>C. harringtonia fastigiata</i> . 18 to 24 in., B&B. | 2 00   | <i>Comptonia asplenifolia</i> .               | 50     |
| 2 to 2½ ft., B&B.                                      | 3 00   | 12 to 18 in.                                  |        |
| 2½ to 3 ft., B&B.                                      | 4 00   | 18 to 24 in.                                  | 75     |
| Larger specimens priced on application.                |        | <i>Cornus florida</i> .                       | 1 00   |
| <i>Cercis canadensis</i> . 2 to 3 ft.                  | 50     | 2 to 3 ft., B&B.                              | 1 25   |
| 3 to 4 ft.   | 75     | 3 to 4 ft., B&B.                              | 1 50   |
| 4 to 5 ft.   | 1 00   | 4 to 5 ft., B&B.                              |        |
| <i>Chamaecyparis obtusa</i> . 2 to 3 ft., B&B.         | 1 50   | <i>C. florida plena</i> .                     | 3 50   |
| 3 to 4 ft., B&B.                                       | 2 00   | 4 to 5 ft., B&B.                              | 6 00   |
| 4 to 5 ft., B&B.                                       | 2 50   | 5 to 6 ft., B&B.                              |        |
| Larger specimens priced on application.                |        | 6 to 8 ft., B&B.                              | 2 50   |
| <i>C. obtusa compacta</i> . 2 to 3 ft., B&B.           | 2 00   | Larger specimens priced on application.       | 3 50   |
| 3 to 4 ft., B&B.                                       | 2 50   | <i>C. florida salicifolia</i> .               | 10 00  |
| <i>C. obtusa crippsi</i> . 4 to 5 ft., B&B.            | 3 50   | <i>C. florida welchi</i> .                    | 3 50   |
| 5 to 6 ft., B&B.                                       | 5 00   | 3 to 4 ft., B&B.                              | 2 50   |
| 6 to 7 ft., B&B.                                       | 7 50   | Wine Red. 3 to 4 ft., B&B.                    |        |
| <i>C. obtusa nana</i> . 18 to 24 in., B&B.             | 2 50   | 5 to 6 ft., B&B.                              | 3 50   |
| 2 to 2½ ft., B&B.                                      | 3 50   | 6 to 8 ft., B&B.                              | 6 00   |
| 2½ to 3 ft., B&B.                                      | 5 00   | 8 to 10 ft., B&B.                             | 7 50   |
| 3 to 4 ft., B&B.                                       | 7 50   | <i>C. kousa</i> .                             | 2 00   |
| <i>C. pisifera</i> . 2 to 3 ft., B&B.                  | 1 50   | 3 to 4 ft., B&B.                              |        |
| 3 to 4 ft., B&B.                                       | 2 00   | <i>C. officinalis</i> .                       | 75     |
| 4 to 5 ft., B&B.                                       | 3 00   | 3 to 4 ft.                                    |        |
| 5 to 6 ft., B&B.                                       | 4 00   | 4 to 5 ft.                                    | 1 00   |
| <i>C. pisifera argentea</i> . 2 to 3 ft., B&B.         | 2 50   | 6 to 8 ft.                                    | 1 50   |
| 3 to 4 ft., B&B.                                       | 4 00   | <i>C. sanguinea</i> .                         | 75     |
| 4 to 5 ft., B&B.                                       | 6 00   | 6 to 8 ft.                                    |        |
| <i>C. pisifera aurea</i> . 2 to 3 ft., B&B.            | 1 50   | <i>C. stolonifera</i> .                       | 1 00   |
| 4 to 5 ft., B&B.                                       | 3 50   | 4 to 5 ft.                                    |        |
| 5 to 6 ft., B&B.                                       | 5 00   | <i>Corylus americana</i> .                    | 50     |
| 6 to 7 ft., B&B.                                       | 6 00   | 18 to 24 in.                                  |        |
| <i>C. pisifera filifera</i> . 2 to 3 ft., B&B.         | 1 50   | 2 to 3 ft.                                    | 75     |
| Large specimens priced on application.                 |        | <i>Cotoneaster divaricata</i> .               | 1 50   |
| <i>C. pisifera filifera aurea</i> . 18 to 24 in., B&B. | 1 50   | 3 to 4 ft., B&B.                              | 2 00   |
| 2 to 3 ft., B&B.                                       | 2 50   | <i>C. francheti</i> .                         | 1 50   |
| 4 to 5 ft., B&B.                                       | 3 50   | 2 to 3 ft., B&B.                              |        |
| 5 to 6 ft., B&B.                                       | 5 00   | <i>C. horizontalis</i> .                      | 1 00   |
| 6 to 7 ft., B&B.                                       | 6 00   | 12 to 18 in., B&B.                            | 1 50   |
| <i>C. pisifera plumosa</i> . 2 to 3 ft., B&B.          | 1 50   | 18 to 24 in., B&B.                            | 1 50   |
| 3 to 4 ft., B&B.                                       | 2 00   | 2 to 3 ft., B&B.                              | 2 00   |
| 4 to 5 ft., B&B.                                       | 2 50   | <i>C. horizontalis perpusilla</i> .           | 1 00   |
| 5 to 6 ft., B&B.                                       | 3 50   | 12 to 18 in., B&B.                            | 1 50   |
| 6 to 7 ft., B&B.                                       | 5 00   | 18 to 24 in., B&B.                            | 2 00   |
| <i>C. pisifera</i> .                                   | 6 00   | 2½ to 3 ft., B&B.                             |        |
| Large specimens priced on application.                 |        | <i>C. microphylla</i> .                       | 1 00   |
| <i>C. pisifera</i> .                                   | 1 50   | 12 to 18 in., B&B.                            | 1 50   |
| 2 to 3 ft., B&B.                                       | 2 00   | 18 to 24 in., B&B.                            | 1 50   |
| 4 to 5 ft., B&B.                                       | 3 00   | 2 to 3 ft., B&B.                              | 2 00   |
| 5 to 6 ft., B&B.                                       | 4 00   | <i>C. salicifolia</i> .                       | 1 50   |
| 6 to 7 ft., B&B.                                       | 6 00   | 18 to 24 in., B&B.                            | 2 00   |
| <i>Crataegus cordata</i> .                             | 1 50   | 2 to 3 ft., B&B.                              |        |
| 6 to 8 ft., B&B.                                       | 2 50   | 3 to 4 ft., B&B.                              | 2 50   |
| <i>Cryptomeria japonica</i> .                          | 5 00   | <i>Cunninghamia lanceolata</i> .              | 1 50   |
| Large specimens priced on application.                 |        | 12 to 18 in., B&B.                            | 2 00   |
| <i>Cunninghamia lanceolata</i> .                       | 1 50   | 18 to 24 in., B&B.                            |        |
| 12 to 18 in., B&B.                                     | 2 00   | 2 to 3 ft., B&B.                              | 2 50   |
| 2 to 3 ft., B&B.                                       | 2 50   | 3 to 4 ft., B&B.                              | 3 50   |
| 3 to 4 ft., B&B.                                       | 3 50   | 4 to 5 ft., B&B.                              | 5 00   |

|  | Each   |
|--|--------|
| <i>Cydonia japonica</i> . 2 to 3 ft.                   | \$0 50 |
| <i>C. japonica alba</i> . 12 to 18 in.                 | 75     |
| <i>C. japonica rosea</i> . 2 to 3 ft.                  | 50     |
| 3 to 4 ft.   | 75     |
| <i>C. japonica rubra</i> . 2 to 3 ft.                  | 50     |
| 3 to 4 ft.   | 75     |
| <i>C. japonica</i> , Salmon. 2 to 3 ft.                | 50     |
| 3 to 4 ft.   | 75     |
| <i>Dasyliion texanum</i> . 2-yr.                       | 75     |
| 3-yr.  | 1 00   |
| 4-yr.  | 1 25   |
| <i>Deutzia gracilis</i> . 12 to 18 in.                 | 50     |
| 18 to 24 in.   | 75     |
| <i>D. gracilis rosea</i> . 18 to 24 in.                | 50     |
| 2 to 3 ft.   | 75     |
| <i>D. lemoinei</i> . 18 to 24 in.                      | 50     |
| 2 to 3 ft.   | 75     |
| <i>D. magnifica</i> . 2 to 3 ft.                       | 75     |
| <i>D. scabra</i> , Pride of Rochester. 2 to 3 ft.      | 50     |
| 3 to 4 ft.   | 75     |
| 4 to 5 ft.   | 1 00   |
| 5 to 6 ft.   | 1 50   |
| <i>Diosporus lotus</i> . 2 to 3 ft.                    | 75     |
| <i>Elaeagnus longipes</i> . 2 to 3 ft., B&B.           | 1 50   |
| <i>E. pungens fruitlandi</i> . 18 to 24 in., B&B.      | 1 00   |
| 2 to 3 ft., B&B.                                       | 1 50   |
| 3 to 4 ft.   | 2 00   |
| 4 to 5 ft.   | 2 50   |
| <i>E. pungens reflexa</i> . 2 to 3 ft., B&B.           | 1 50   |
| 3 to 4 ft., B&B.                                       | 2 00   |
| 4 to 5 ft., B&B.                                       | 2 50   |
| <i>E. pungens rotundifolia</i> . 2 to 3 ft., B&B.      | 1 50   |
| 3 to 4 ft., B&B.                                       | 2 00   |
| <i>E. pungens variegata</i> . 18 to 24 in., B&B.       | 2 00   |
| 2 to 3 ft., B&B.                                       | 2 50   |
| <i>E. umbellata</i> . 3 to 4 ft.                       | 75     |
| 4 to 5 ft.   | 1 00   |
| <i>Erica</i> . 8 to 10 in., B&B.                       | 1 00   |
| 10 to 12 in., B&B.                                     | 1 50   |
| 12 to 18 in., B&B.                                     | 2 00   |
| <i>Euonymus alatus</i> . 3 to 4 ft.                    | 2 00   |
| 4 to 5 ft.   | 2 50   |
| <i>E. alatus compactus</i> . 3 to 4 ft.                | 1 50   |
| <i>E. americanus</i> . 2 to 3 ft.                      | 75     |
| 3 to 4 ft.   | 1 00   |
| <i>E. europaeus</i> . 18 to 24 in.                     | 75     |
| 2 to 3 ft.   | 1 00   |
| 3 to 4 ft.   | 1 50   |
| Larger specimens                                       | 2 50   |
| <i>E. patens</i> . 18 to 24 in.                        | 1 50   |
| 2 to 3 ft.   | 2 00   |
| <i>E. radicans</i> . 2-yr.                             | 50     |
| <i>E. radicans coloratus</i> (acutus). 18 to 24 in.    | 50     |
| <i>E. radicans variegatus</i> . 2-yr.                  | 50     |
| Larger specimens                                       | 1 00   |
| <i>E. radicans vegetus</i> . 12 to 18 in.              | 1 00   |
| 18 to 24 in.   | 1 50   |
| <i>E. sieboldianus britzensis</i> . 18 to 24 in., B&B. | 1 50   |
| 2 to 3 ft., B&B.                                       | 2 00   |
| <i>Exochorda grandiflora</i> . 5 to 6 ft.              | 1 00   |
| <i>Flowering Cherry</i> . See <i>Prunus</i> .          |        |
| <i>Flowering Crab</i> . See <i>Malus</i> .             |        |
| <i>Flowering Peach</i> . See <i>Prunus</i> .           |        |
| <i>Flowering Plum</i> . See <i>Prunus</i> .            |        |
| <i>Forsythia intermedia spectabilis</i> . 2 to 3 ft.   | 50     |
| 3 to 4 ft.   | 75     |
| <i>F. suspensa</i> . 2 to 3 ft.                        | 50     |
| <i>F. viridissima</i> . 2 to 3 ft.                     | 50     |
| 3 to 4 ft.   | 75     |
| <i>Fraxinus americana</i> . 8 to 10 ft.                | 2 00   |
| <i>Gelsemium sempervirens</i> . 5-yr., heavy           | 1 50   |

*Elaeagnus umbellata*

|   | Each   |
|---|--------|
| <i>Ginkgo biloba</i> . 3 to 4 ft.                     | \$2 50 |
| 4 to 5 ft.  | 3 00   |
| 5 to 6 ft.  | 3 50   |
| 6 to 7 ft.  | 4 00   |
| 7 to 8 ft.  | 5 00   |
| 8 to 10 ft.   | 6 00   |
| <i>Gordonia alatamaha</i> . 5 to 6 ft., B&B.          | 7 50   |
| <i>Gymnocladus dioica</i> . 3 to 4 ft.                | 1 00   |
| 4 to 5 ft.  | 1 50   |
| 6 to 8 ft.  | 2 00   |
| <i>Halesia tetrapetala</i> . 8 to 10 ft.              | 2 50   |
| <i>Hamamelis japonica</i> . 18 to 24 in.              | 75     |
| 2 to 3 ft.  | 1 00   |
| <i>H. virginiana</i> . 2 to 3 ft.                     | 50     |
| 8 to 10 ft.   | 1 50   |
| <i>Hedera helix</i> . 2-yr.                           | 50     |
| <i>H. helix digitata</i> . 2-in. pots                 | 25     |
| <i>Hesperaloe parviflora</i> . 2-yr.                  | 50     |
| 3-yr.   | 75     |
| 4-yr.   | 1 00   |
| <i>Hibiscus moscheutos</i> . 1-yr.                    | 25     |
| 2-yr.   | 50     |
| <i>H. syriacus</i> Seedling, Single Pink. 3 to 4 ft.  | 50     |
| 4 to 5 ft.  | 75     |
| <i>H. syriacus</i> Seedling, Single White. 2 to 3 ft. | 50     |
| <i>H. syriacus</i> , Joan of Arc. Double; white.      |        |
| 3 to 4 ft.  | 50     |
| <i>H. syriacus</i> , Lucy. Red. 3 to 4 ft.            | 50     |
| <i>H. syriacus purpureum semi-plena</i> . Lavender.   |        |
| 2 to 3 ft.  | 50     |
| <i>H. syriacus rubra</i> . Red. 3 to 4 ft.            | 50     |
| <i>Hydrangea arborescens</i> . 3 to 4 ft.             | 75     |
| <i>H. arborescens grandiflora</i> . 2 to 3 ft.        | 50     |
| <i>H. paniculata grandiflora</i> . 2 to 3 ft.         | 50     |
| 3 to 4 ft.  | 75     |
| <i>H. quercifolia</i> . 2 to 3 ft.                    | 75     |
| <i>Hypericum aureum</i> . 2 to 3 ft.                  | 50     |
| <i>H. calycinum</i> . 2-yr.                           | 50     |
| <i>H. moserianum</i> . 12 to 18 in.                   | 50     |
| <i>Ilex cassine</i> . 2 to 3 ft., B&B.                | 1 50   |
| 3 to 4 ft., B&B.                                      | 2 00   |
| 4 to 5 ft., B&B.                                      | 3 00   |
| 5 to 6 ft., B&B.                                      | 5 00   |




**Juniperus chinensis pfitzeriana**

|   | Each   |
|---|--------|
| <i>Ilex</i> cassine angustifolia. 2 to 3 ft., B&B.  | \$1 50 |
| 3 to 4 ft., B&B.                                    | 2 00   |
| 4 to 5 ft., B&B.                                    | 3 00   |
| 5 to 6 ft., B&B.                                    | 5 00   |
| <i>I. cornuta</i> . 2 to 3 ft., B&B.                | 2 50   |
| 3 to 4 ft., B&B.                                    | 3 50   |
| 5 to 6 ft., B&B.                                    | 6 00   |
| <i>I. cornuta burfordi</i> . 2 to 3 ft., B&B.       | 3 50   |
| 3 to 4 ft., B&B.                                    | 5 00   |
| 4 to 5 ft., B&B.                                    | 6 00   |
| <i>I. crenata</i> . 2 to 3 ft., B&B.                | 2 00   |
| 3 to 4 ft., B&B.                                    | 3 50   |
| 4 to 5 ft., B&B.                                    | 5 00   |
| 6 to 7 ft., B&B.                                    | 7 50   |
| <i>I. crenata</i> , Spreading. 18 to 24 in., B&B.   | 2 00   |
| <i>I. crenata rotundifolia</i> . 18 to 24 in., B&B. | 2 00   |
| 2 to 3 ft., B&B.                                    | 2 50   |
| <i>I. decidua</i> . 2 to 3 ft., B&B.                | 1 50   |
| 6 to 8 ft., B&B.                                    | 3 00   |
| 8 to 10 ft., B&B.                                   | 4 00   |
| <i>I. glabra</i> . 18 to 24 in., B&B.               | 1 00   |
| 2 to 3 ft., B&B.                                    | 2 00   |
| <i>I. latifolia</i> . 18 to 24 in., B&B.            | 3 50   |
| <i>I. opaca</i> . 2 to 3 ft., B&B.                  | 2 00   |
| 3 to 4 ft., B&B.                                    | 2 50   |
| 4 ft., B&B.   | 3 00   |
| 4 to 5 ft., B&B.                                    | 3 50   |
| 5 to 6 ft., B&B.                                    | 4 00   |
| 6 to 8 ft., B&B.                                    | 5 00   |
| <i>I. opaca</i> , East Palatka. 3 to 4 ft., B&B.    | 3 50   |
| <i>I. opaca howardi</i> . 2 to 3 ft., B&B.          | 3 00   |
| 3 to 4 ft., B&B.                                    | 4 00   |
| <i>I. opaca</i> , Hume No. 2. 4 to 5 ft., B&B.      | 3 00   |
| 5 to 6 ft., B&B.                                    | 4 00   |
| <i>I. opaca</i> , New Smyrna. 2 to 3 ft., B&B.      | 2 50   |
| 3 to 4 ft., B&B.                                    | 3 00   |
| 4 to 5 ft., B&B.                                    | 3 50   |
| 5 to 6 ft., B&B.                                    | 4 00   |
| 6 to 8 ft., B&B.                                    | 5 00   |
| <i>I. pernyi</i> . 18 to 24 in., B&B.               | 3 50   |
| <i>I. pernyi veitchi</i> . 3 to 5 ft., B&B.         | 5 00   |
| <i>I. verticillata</i> . 3 to 4 ft.                 | 1 50   |
| <i>I. vomitoria</i> . 2 to 3 ft., B&B.              | 2 00   |
| 3 to 4 ft., B&B.                                    | 3 00   |
| Large specimen plants of many of the above          |        |
| Ilex can be priced on application.                  |        |
| <i>Itea virginica</i> . 2 to 3 ft.                  | 1 00   |

|  | Each   |
|--|--------|
| <i>Jasminum floridum</i> . 18 to 24 in.              | \$0 50 |
| 2 to 3 ft.   | 75     |
| <i>J. giraldi</i> . 3-yr.                            | 75     |
| <i>J. nudiflorum</i> . 2 to 3 ft.                    | 50     |
| <i>J. officinale</i> . 2 to 3 ft.                    | 75     |
| <i>J. stephanense</i> . 2 to 3 ft.                   | 75     |
| <i>Juglans cinerea</i> . 4 to 5 ft.                  | 1 00   |
| <i>J. regia</i> . 8 to 10 ft.                        | 2 50   |
| <i>J. sieboldiana</i> . 3 to 4 ft.                   | 1 00   |
| 6 to 8 ft.   | 2 00   |
| <i>Juniperus chinensis densa glauca</i> .            |        |
| 12 to 18 in., B&B.                                   | 1 00   |
| 18 to 24 in., B&B.                                   | 1 50   |
| 2 to 3 ft.   | 2 00   |
| <i>J. chinensis excelsa stricta</i> .                |        |
| 12 to 18 in., B&B.                                   | 1 00   |
| 18 to 24 in., B&B.                                   | 1 50   |
| 2 to 3 ft., B&B.                                     | 2 00   |
| <i>J. chinensis japonica</i> . 18 to 24 in., B&B.    | 1 50   |
| 2 to 3 ft., B&B.                                     | 2 50   |
| <i>J. chinensis japonica aurea</i> .                 |        |
| 12 to 18 in., B&B.                                   | 2 50   |
| <i>J. chinensis japonica globosa aurea</i> .         |        |
| 12 to 18 in., B&B.                                   | 2 50   |
| <i>J. chinensis mascula</i> . 4 to 5 ft., B&B.       | 3 00   |
| <i>J. chinensis neaboriensis</i> . 4 to 5 ft., B&B.  | 2 50   |
| 5 to 6 ft., B&B.                                     | 3 50   |
| <i>J. chinensis pfitzeriana</i> . 12 to 18 in., B&B. | 1 00   |
| 18 to 24 in., B&B.                                   | 1 50   |
| 2 to 2½ ft., B&B.                                    | 2 00   |
| 2½ to 3 ft., B&B.                                    | 2 50   |
| 3 to 4 ft., B&B.                                     | 3 00   |
| 4 to 5 ft., B&B.                                     | 4 00   |
| 5 to 6 ft., B&B.                                     | 6 00   |
| <i>J. chinensis procumbens</i> .                     |        |
| 12 to 18 in., B&B.                                   | 1 50   |
| 18 to 24 in., B&B.                                   | 2 00   |
| 2 to 3 ft., B&B.                                     | 2 50   |
| <i>J. communis ashfordi</i> . 2 to 3 ft., B&B.       | 1 00   |
| 3 to 4 ft., B&B.                                     | 1 50   |
| 4 to 5 ft., B&B.                                     | 3 00   |
| 6 to 8 ft., B&B.                                     | 3 50   |
| <i>J. communis depressa</i> . 2 to 3 ft., B&B.       | 2 00   |
| <i>J. communis depressa plumosa</i> .                |        |
| 18 to 24 in., B&B.                                   | 1 50   |
| 2 to 3 ft., B&B.                                     | 2 00   |
| <i>J. communis hibernica</i> . 2 to 3 ft., B&B.      | 1 00   |
| 3 to 4 ft., B&B.                                     | 1 50   |
| 4 to 5 ft., B&B.                                     | 2 00   |
| 5 to 6 ft., B&B.                                     | 3 00   |
| 8 to 10 ft., B&B.                                    | 5 00   |
| <i>J. communis Kiyonoi</i> . 6 to 8 ft., B&B.        | 3 50   |
| <i>J. communis suecica</i> . 2 to 3 ft., B&B.        | 1 50   |
| 3 to 4 ft., B&B.                                     | 2 00   |
| <i>J. sabina</i> . 2 to 3 ft., B&B.                  | 2 00   |
| <i>J. Shuki</i> . 18 to 24 in., B&B.                 | 1 50   |
| <i>J. squamata meyeri</i> . 10 to 12 in., B&B.       | 1 50   |
| 18 to 24 in., B&B.                                   | 2 50   |
| <i>J. virginiana</i> (weeping). 6 to 8 ft., B&B.     | 3 50   |
| <i>J. virginiana burki</i> . 4 to 5 ft., B&B.        | 3 50   |
| 5 to 6 ft., B&B.                                     | 5 00   |
| <i>J. virginiana canaerti</i> . 2 to 3 ft., B&B.     | 1 50   |
| 3 to 4 ft., B&B.                                     | 2 50   |
| 4 to 5 ft., B&B.                                     | 3 50   |
| 5 to 6 ft., B&B.                                     | 5 00   |
| <i>J. virginiana donaldsoni</i> . 5 to 6 ft., B&B.   | 3 50   |
| <i>J. virginiana glauca</i> . 4 to 5 ft., B&B.       | 3 00   |
| 8 to 10 ft., B&B.                                    | 8 00   |
| <i>J. virginiana globosa</i> . 18 to 24 in., B&B.    | 3 50   |
| <i>J. virginiana keteleeri</i> . 4 to 5 ft., B&B.    | 3 00   |
| 5 to 6 ft., B&B.                                     | 4 00   |
| <i>J. virginiana pyramidiformis</i> .                |        |
| 4 to 5 ft., B&B.                                     | 4 50   |

|   | Each           |
|---|----------------|
| <i>Juniperus virginiana</i> schotti. 4 to 5 ft., B&B. | \$3 50         |
| 5 to 6 ft., B&B.....                                  | 4 50           |
| <i>J.</i> , Waukegan. 18 to 24 in., B&B.....          | 1 50           |
| 2 to 3 ft., B&B.....                                  | 2 00           |
| <i>Kalmia latifolia</i> . 12 to 18 in., B&B.....      | 1 50           |
| 18 to 24 in., B&B.....                                | 2 00           |
| 2 to 3 ft., B&B.....                                  | 2 50           |
| <i>Koelreuteria paniculata</i> . 4 to 5 ft.....       | 1 50           |
| 6 to 8 ft.....  | 2 50           |
| <i>Kolkwitzia amabilis</i> . 2 to 3 ft.....           | 75             |
| 5 to 6 ft.....  | 1 50           |
| 6 to 7 ft.....  | 2 00           |
| <i>Laburnum vulgare</i> . 5 to 6 ft.....              | 2 00           |
| 6 to 7 ft.....  | 2 50           |
| <i>Lagerstroemia indica</i> alba. 2 to 3 ft., B&B...  | 1 00           |
| 3 to 4 ft., B&B.....                                  | 1 50           |
| <i>L. indica</i> purpurea. 2 to 3 ft., B&B.....       | 1 00           |
| 3 to 4 ft., B&B.....                                  | 1 50           |
| <i>L. indica</i> rosea. 3 to 4 ft., B&B.....          | 1 00           |
| <i>L. indica</i> , William Toovey. 3 to 4 ft., B&B... | 1 00           |
| 4 to 5 ft., B&B.....                                  | 1 50           |
| <i>Laurocerasus caroliniana</i> . 2 to 3 ft., B&B...  | 1 50           |
| 3 to 4 ft., B&B.....                                  | 2 50           |
| 4 to 5 ft., B&B.....                                  | 3 50           |
| Large specimens priced on application.                |                |
| <i>L. rotundifolia</i> . 2 to 2½ ft., B&B.....        | 2 50           |
| <i>L. schipkaensis</i> . 12 to 18 in., B&B.....       | 1 50           |
| 18 to 24 in., B&B.....                                | 2 00           |
| 2 to 2½ ft.....                                       | 2 50           |
| <i>L.</i> , Strap leaf. 12 to 18 in., B&B.....        | 2 50           |
| 18 to 24 in., B&B.....                                | 3 50           |
| <i>Lespedeza bicolor</i> . 2 to 3 ft.....             | 50             |
| 3 to 4 ft.....  | 75             |
| <i>L. formosa</i> . 2-yr.....                         | 50             |
| 3-yr.....   | 75             |
| <i>L. penduliflorum</i> . 2-yr.....                   | 75             |
| <i>Leucothoe catesbaei</i> . 18 to 24 in., B&B.....   | 2 00           |
| 2 to 3 ft., B&B.....                                  | 2 50           |
| <i>Libocedrus decurrens</i> . 4 to 5 ft., B&B.....    | 2 50           |
| 5 to 6 ft., B&B.....                                  | 3 50           |
| 6 to 7 ft., B&B.....                                  | 5 00           |
| <i>Ligustrum lucidum</i> . 18 to 24 in., B&B.....     | 1 00           |
| 2 to 2½ ft., B&B.....                                 | 1 50           |
| 2½ to 3 ft., B&B.....                                 | 2 50           |
| <i>L. ovalifolium</i> variegatum. 12 to 18 in.....    | 1 00           |
| 2½ to 3 ft.....                                       | 2 50           |
| <i>L. quihoui</i> . 3 to 4 ft.....                    | 75             |
| <i>L. sinense</i> . 12 to 18 in.....                  | \$3.00 per 100 |
| 3 to 4 ft.....  | \$5.00 per 100 |
| <i>L. sinense</i> pendulum. 2 to 3 ft.....            | 50             |
| <i>Liquidambar styraciflua</i> . 2 to 3 ft., B&B...   | 1 50           |
| 3 to 4 ft., B&B.....                                  | 2 00           |
| 4 to 5 ft., B&B.....                                  | 2 50           |
| 5 to 6 ft., B&B.....                                  | 3 00           |
| 7 to 8 ft., B&B.....                                  | 4 00           |
| 10 to 12 ft., B&B.....                                | 5 00           |
| <i>Liriodendron tulipifera</i> . 2 to 3 ft., B&B..... | 1 00           |
| 6 to 7 ft., B&B.....                                  | 2 50           |
| <i>Lonicera brownii</i> . 2 to 3 ft.....              | 50             |
| 3 to 4 ft.....  | 75             |
| <i>L. fragrantissima</i> . 2 to 3 ft.....             | 50             |
| 3 to 4 ft.....  | 75             |
| <i>L. heckrottii</i> . 2-yr.....                      | 50             |
| 3-yr.....   | 75             |
| <i>L. japonica</i> halliana. 2-yr.....                | 50             |
| <i>L. morrowii</i> . 18 to 24 in.....                 | 50             |
| <i>L. nitida</i> . 15 to 18 in., B&B.....             | 1 50           |
| <i>L. sempervirens</i> . 2-yr.....                    | 50             |
| 3-yr.....   | 75             |
| <i>L. speciosa</i> . 2 to 3 ft.....                   | 50             |
| 3 to 4 ft.....  | 75             |
| <i>L. tatarica</i> . 3 to 4 ft.....                   | 50             |
| <i>L. tatarica</i> lutea. 18 to 24 in.....            | 75             |
| <i>L. tatarica</i> rosea. 3 to 4 ft.....              | 50             |



Magnolia grandiflora

|  | Each   |
|--|--------|
| <i>Maackia amurensis</i> . 2 to 3 ft.....                | \$1 00 |
| <i>Magnolia acuminata</i> . 18 to 24 in.....             | 1 00   |
| 8 to 10 ft.....  | 2 50   |
| 10 to 12 ft.....   | 5 00   |
| <i>M. glauca</i> . 2 to 3 ft., B&B.....                  | 1 50   |
| 3 to 4 ft., B&B.....                                     | 2 00   |
| 4 to 5 ft., B&B.....                                     | 2 50   |
| <i>M. grandiflora</i> . 2 to 3 ft., B&B.....             | 1 00   |
| 3 to 4 ft., B&B.....                                     | 1 50   |
| 4 to 5 ft., B&B.....                                     | 2 50   |
| 5 to 6 ft., B&B.....                                     | 3 50   |
| <i>M. hypoleuca</i> . 6 to 8 ft.....                     | 2 50   |
| 8 to 10 ft.....  | 3 00   |
| <i>M. kobus</i> . 3 to 4 ft.....                         | 2 00   |
| 4 to 5 ft.....   | 2 50   |
| 6 to 8 ft.....   | 3 50   |
| 8 to 10 ft.....  | 5 00   |
| <i>M. purpurea</i> . 2 to 3 ft., B&B.....                | 1 00   |
| 3 to 4 ft., B&B.....                                     | 2 00   |
| 4 to 5 ft., B&B.....                                     | 3 50   |
| Large specimens priced on application.                   |        |
| <i>M. salicifolia</i> . 3 to 4 ft., B&B.....             | 3 50   |
| <i>M. soulangiana</i> . 3 to 4 ft., B&B.....             | 3 00   |
| 4 to 5 ft., B&B.....                                     | 4 00   |
| <i>M. stellata</i> . 2 to 3 ft., B&B.....                | 3 00   |
| 3 to 4 ft., B&B.....                                     | 4 00   |
| 4 to 5 ft., B&B.....                                     | 6 00   |
| 5 to 6 ft., B&B.....                                     | 7 50   |
| <i>Mahonia aquifolium</i> . 18 to 24 in., B&B.....       | 1 50   |
| 2 to 3 ft., B&B.....                                     | 2 00   |
| <i>M. bealei</i> . 12 to 18 in., B&B.....                | 2 00   |
| 18 to 24 in., B&B.....                                   | 2 50   |
| 2 to 3 ft., B&B.....                                     | 3 00   |
| <i>M. pinnata</i> (fascicularis). 18 to 24 in., B&B..... | 2 50   |
| 2 to 3 ft., B&B.....                                     | 3 00   |
| <i>Malus atrosanguinea</i> . Deep carmine.               |        |
| 3 to 4 ft.....   | 2 00   |
| 5 to 6 ft.....   | 3 50   |
| <i>M. bechteli</i> . Pink, rose-like blooms. 2 to 3 ft.  | 1 50   |
| 3 to 4 ft.....   | 2 00   |
| 4 to 5 ft.....   | 2 50   |

|  | Each            | Each |
|--|-----------------|------|
| <i>Malus eleyi</i> . Red. Very choice. 2 to 3 ft...  | \$1 50          |      |
| 3 to 4 ft.....   | 2 00            |      |
| 4 to 5 ft.....   | 2 50            |      |
| 5 to 6 ft.....   | 3 50            |      |
| <i>M. floribunda</i> . Bright pink flowers shading to white. 2 to 3 ft.....  | 1 50            |      |
| 3 to 4 ft.....   | 2 00            |      |
| 4 to 5 ft.....   | 2 50            |      |
| <i>M. niedzwetzkyana</i> . Flowers deep pink.  |                 |      |
| 3 to 4 ft.....   | 2 00            |      |
| 4 to 5 ft.....   | 2 50            |      |
| 5 to 6 ft.....   | 3 50            |      |
| 6 to 7 ft.....   | 4 00            |      |
| <i>M. prunifolia rinki</i> . Flowers pink. 6 to 7 ft..   | 4 00            |      |
| <i>M. purpurea</i> . Flowers deep carmine. 6 to 7 ft.  | 4 00            |      |
| <i>M. scheideckeri</i> . Double reddish pink flowers.  |                 |      |
| 3 to 4 ft.....   | 2 00            |      |
| <i>M. sieboldi</i> . Blush-pink flowers. 5 to 6 ft...  | 3 50            |      |
| <i>Nandina domestica</i> . 12 to 18 in., B&B.  | 75              |      |
| 18 to 24 in., B&B.....   | 1 00            |      |
| 2 to 3 ft., B&B.....   | 1 50            |      |
| 3 to 4 ft., B&B.....   | 2 50            |      |
| 4 to 5 ft., B&B.....   | 4 00            |      |
| <i>Neiviusia alabamensis</i> . 18 to 24 in., B&B....   | 75              |      |
| <i>Nyssa sylvatica</i> . 4 to 5 ft., B&B.....  | 2 00            |      |
| <i>Ophiopogon</i> . 2-yr.....  | 50              |      |
| <i>Osmanthus aquifolium</i> . 18 to 24 in., B&B..  | 2 00            |      |
| 2 to 3 ft., B&B.....   | 3 00            |      |
| 3 to 4 ft., B&B.....   | 3 50            |      |
| <i>Ostrya virginiana</i> . 8 to 10 ft.....   | 2 50            |      |
| <i>Oxydendrum arboreum</i> . 2 to 3 ft., B&B....   | 1 50            |      |
| 5 to 6 ft., B&B.....   | 3 50            |      |
| <i>Pachysandra terminalis</i> . 2-yr.....  | 25              |      |
| <i>Paliurus spina-christi</i> . 3 to 4 ft., B&B.....   | 2 50            |      |
| <i>Paulownia imperialis</i> . 8 to 10 ft.....  | 2 00            |      |
| <i>Phelodendron sachalinense</i> . 18 to 24 in.....  | 75              |      |
| <i>Philadelphus coronarius</i> . 3 to 4 ft.....  | 50              |      |
| <i>P. coronarius aureus</i> . 2 to 3 ft.....   | 75              |      |
| <i>P. cymosus</i> , Coquette. 4 to 5 ft.....   | 75              |      |
| 6 to 7 ft.....   | 1 00            |      |
| <i>P. cymosus</i> , Norma. 2 to 3 ft.....  | 75              |      |
| <i>P. lemoinei</i> , Avalanche. 18 to 24 in.....   | 50              |      |
| <i>P. virginialis</i> . 2 to 3 ft.....   | 50              |      |
| 3 to 4 ft.....   | 75              |      |
| 4 to 5 ft.....   | 1 00            |      |
| <i>Photinia glabra</i> . 18 to 24 in., B&B.....  | 1 50            |      |
| <i>P. serrulata</i> . 2 to 2½ ft., B&B.....  | 3 00            |      |
| <i>Picea conica glauca</i> . 2 to 3 ft., B&B.....  | 5 00            |      |
| <i>P. excelsa</i> . 2 to 3 ft., B&B.....   | 1 50            |      |
| 3 to 4 ft., B&B.....   | 2 00            |      |
| 4 to 5 ft., B&B.....   | 2 50            |      |
| 5 to 6 ft., B&B.....   | 5 00            |      |
| <i>P. pungens</i> . 2 to 3 ft., B&B.....   | 2 00            |      |
| 3 to 4 ft., B&B.....   | 3 00            |      |
| 4 to 5 ft., B&B.....   | 4 00            |      |
| <i>P. pungens kosteriana</i> . 12 to 18 in., B&B..   | 2 50            |      |
| 18 to 24 in., B&B.....   | 3 00            |      |
| 2 to 2½ ft., B&B.....  | 5 00            |      |
| <i>Pieris floribunda</i> . 18 to 24 in., B&B.....  | 2 50            |      |
| <i>P. japonica</i> . 12 to 15 in., B&B.....  | 2 00            |      |
| 15 to 18 in., B&B.....   | 2 50            |      |
| 18 to 24 in., B&B.....   | 3 00            |      |
| 2 to 2½ ft., B&B.....  | 4 00            |      |
| <i>Pinus nigra</i> . 18 to 24 in., B&B.....  | 1 00            |      |
| 2 to 3 ft., B&B.....   | 1 50            |      |
| <i>P. resinosa</i> . 18 to 24 in., B&B.....  | 1 00            |      |
| 2 to 3 ft., B&B.....   | 1 50            |      |
| <i>P. strobus</i> . 2 to 3 ft., B&B.....   | 1 50            |      |
| 3 to 4 ft., B&B.....   | 2 00            |      |
| 4 to 5 ft., B&B.....   | 3 00            |      |
| <i>P. sylvestris</i> . 2 to 3 ft., B&B.....  | 1 50            |      |
| <i>P. Tanyoshio</i> . B&B.   |                 |      |
| Specimens priced on application.   |                 |      |
| <i>P. thunbergi</i> . 2 to 3 ft., B&B.....   | 1 50            |      |
|  |                 |      |
| <i>Platanus occidentalis</i> . 7 to 8 ft.....  | \$2 00          |      |
| 8 to 10 ft.....  | 2 50            |      |
| <i>Polygonum auberti</i> . 2-yr.....   | 50              |      |
| <i>Populus nigra italicica</i> . 2 to 3 ft.....  | 25              |      |
| 4 to 6 ft.....   | 50              |      |
| 6 to 8 ft.....   | 75              |      |
| 8 to 10 ft.....  | 1 00            |      |
| <i>Potentilla fruticosa</i> . 2 to 3 ft.....   | 75              |      |
| <i>Prunus</i> , Amanogawa. Flowering Cherry.   |                 |      |
| Semi-double, pale pink flowers.  |                 |      |
| 3 to 4 ft.....   | 2 00            |      |
| 4 to 5 ft.....   | 3 00            |      |
| <i>P.</i> , Beni Higan. Flowering Cherry. Pale pink flowers. 4 to 5 ft.....  | 2 50            |      |
| 5 to 6 ft.....   | 4 00            |      |
| <i>P. cerasifera pissardi</i> . Purple-leaf Plum.  |                 |      |
| Pink flowers. 3 to 4 ft.....   | 1 50            |      |
| 4 to 5 ft.....   | 2 00            |      |
| 6 to 7 ft.....   | 3 00            |      |
| <i>P. glandulosa rosea</i> . Pink-flowering Almond.  |                 |      |
| 18 to 24 in.....   | 50              |      |
| 2 to 2½ ft.....  | 75              |      |
| <i>P.</i> , Kanzan. Flowering Cherry. Deep pink, very double flowers. 4 to 5 ft.....                                 | 2 50            |      |
| 5 to 6 ft.....   | 3 50            |      |
| 6 to 7 ft.....   | 5 00            |      |
| <i>P.</i> , Mount Fuji. Flowering Cherry. Double white flowers. 3 to 4 ft.....                                       | 2 50            |      |
| 4 to 5 ft.....   | 3 50            |      |
| <i>P.</i> , Naden. Flowering Cherry. Pale pink, semi-double flowers. 2 to 3 ft.....                                  | 1 50            |      |
| 3 to 4 ft.....   | 2 50            |      |
| 4 to 5 ft.....   | 3 50            |      |
| <i>P.</i> , Othello. Purple-leaf Plum. 2 to 3 ft....   | 1 00            |      |
| 3 to 4 ft.....   | 1 50            |      |
| 4 to 5 ft.....   | 2 00            |      |
| <i>P. persica alba</i> . White-flowering Peach.  |                 |      |
| 2 to 3 ft.....   | 75              |      |
| 3 to 4 ft.....   | 1 00            |      |
| 5 to 6 ft.....   | 2 50            |      |
| <i>P. persica rosea</i> . Pink-flowering Peach.  |                 |      |
| 2 to 3 ft.....   | 75              |      |
| 3 to 4 ft.....   | 1 00            |      |
| <i>P. persica rubra</i> . Red-flowering Peach.   |                 |      |
| 2 to 3 ft.....   | 75              |      |
| 3 to 4 ft.....   | 1 00            |      |
| <i>P.</i> , Shirofugen. Flowering Cherry. Flowers pink in bud changing to white as they expand. 3 to 4 ft.....       | 2 50            |      |
| 4 to 5 ft.....   | 3 50            |      |
| <i>P. subhirtella pendula</i> . Double-flowering Weeping Cherry. Pink flowers. Top budded. 5 to 6 ft.....            | 2 50            |      |
| 6 to 7 ft.....   | 3 50            |      |
| <i>P. subhirtella pendula</i> . Weeping Flowering Cherry. Pink flowers. Budded at ground. 5 to 6 ft.....             | \$7.50 to 15 00 |      |
| <i>P.</i> , Takasago. Flowering Cherry.  |                 |      |
| 2 to 3 ft.....   | 1 50            |      |
| 3 to 4 ft.....   | 2 00            |      |
| 4 to 5 ft.....   | 3 00            |      |
| <i>P. triloba</i> . Double-flowering Plum. White flowers. 5 to 6 ft.....   | 2 50            |      |
| <i>P.</i> , Yoshino. Flowering Cherry. Pale pink flowers, centers being stained with purplish pink before they fall. |                 |      |
| 4 to 5 ft.....   | 2 50            |      |
| 5 to 6 ft.....   | 4 00            |      |
| <i>Pterocarya rhoifolia</i> . 4 to 5 ft.....   | 1 00            |      |
| 5 to 6 ft.....   | 1 50            |      |
| <i>Pueraria thunbergiana</i> . 2-yr.....   | 50              |      |
| <i>Punica granatum</i> . 2 to 3 ft.....  | 1 00            |      |

|   | Each   | Each  |        |
|---|--------|---|--------|
| <i>Pyracantha coccinea</i> boundsi.   |        |   |        |
| 18 to 24 in., B&B.....  | \$1 50 | Salix babylonica. 4 to 5 ft.....                      | \$0 50 |
| 2 to 3 ft., B&B.....  | 2 00   | 5 to 6 ft.....  | 75     |
| <i>P. coccinea</i> lalandi. 18 to 24 in., B&B.....                                  | 1 00   | 6 to 7 ft.....  | 1 00   |
| 2 to 3 ft., B&B.....  | 1 50   | 7 to 8 ft.....  | 1 50   |
| <i>Quercus alba</i> . 5 to 6 ft.....  | 2 00   | 8 to 10 ft.....                                       | 2 00   |
| <i>Q. darlingtonia</i> . 4 to 5 ft., B&B.....                                       | 2 50   | 10 to 12 ft.....                                      | 2 50   |
| 5 to 6 ft., B&B.....  | 3 50   | <i>S. caprea</i> . 2 to 3 ft.....                     | 75     |
| 6 to 8 ft., B&B.....  | 5 00   | <i>S. vitellina pendula</i> . 6 to 8 ft.....          | 1 50   |
| <i>Q. palustris</i> . 5 to 6 ft.....  | 1 50   | 8 to 10 ft.....                                       | 2 00   |
| 7 to 8 ft.....  | 2 50   | <i>Sambucus nigra aurea</i> . 3 to 4 ft.....          | 75     |
| 8 to 10 ft.....   | 3 00   | <i>Sciadopitys verticillata</i> .                     |        |
| 10 to 12 ft.....  | 3 50   | 12 to 15 in., B&B.....                                | 2 50   |
| <i>Q. rubra</i> . 2 to 3 ft.....  | 1 00   | Larger specimens priced on application.               |        |
| 3 to 4 ft.....  | 1 50   | <i>Smilax laurifolia</i> . 3-in. pots.....            | 1 00   |
| 4 to 5 ft.....  | 2 00   | <i>Sophora japonica</i> . 18 to 24 in.....            | 75     |
| 6 to 8 ft.....  | 3 50   | <i>Spiraea aitchisoni</i> . 2 to 3 ft.....            | 75     |
| <i>Rhamnus caroliniana</i> . 5 to 6 ft.....   | 1 50   | <i>S. billiardii</i> . Pink or white. 3 to 4 ft.....  | 50     |
| <i>R. cathartica</i> . 5 to 6 ft.....   | 1 00   | <i>S. bumalda</i> , Anthony Waterer. 18 to 24 in..... | 50     |
| <i>R. dahurica</i> . 3 to 4 ft.....   | 1 50   | 2 to 3 ft.....  | 75     |
| <i>Rhododendron carolinianum</i> .  |        | <i>S. callosa alba</i> . 18 to 24 in.....             | 75     |
| 18 to 24 in., B&B.....  | 2 00   | <i>S. opulifolia</i> . 2 to 3 ft.....                 | 50     |
| 2 to 3 ft., B&B.....  | 3 00   | <i>S. prunifolia</i> . 2 to 3 ft.....                 | 50     |
| <i>R. catawbiense</i> . 18 to 24 in., B&B.....                                      | 2 00   | 3 to 4 ft.....  | 75     |
| 2 to 3 ft., B&B.....  | 3 00   | 4 to 5 ft.....  | 1 00   |
| <i>R. maximum</i> . 18 to 24 in., B&B.....  | 2 00   | <i>S. reevesiana</i> . 2 to 3 ft.....                 | 75     |
| 2 to 3 ft., B&B.....  | 3 00   | <i>S. thunbergii</i> . 18 to 24 in.....               | 50     |
| <i>Rhodotypos kerrioides</i> . 2 to 3 ft.....                                       | 50     | 2 to 3 ft.....  | 75     |
| 3 to 4 ft.....  | 75     | <i>S. trichocarpa</i> . 3 to 4 ft.....                | 75     |
| 4 to 5 ft.....  | 1 00   | <i>S. vanhouttei</i> . 2 to 3 ft.....                 | 50     |
| <i>Rhus canadensis</i> . 2 to 3 ft.....   | 50     | 3 to 4 ft.....  | 75     |
| 3 to 4 ft.....  | 75     | <i>Stachyurus praecox</i> . 4 to 5 ft.....            | 2 50   |
| 4 to 5 ft.....  | 1 00   | <i>Stephanandra flexuosa</i> . 2 to 3 ft.....         | 75     |
| <i>R. cotinus</i> . 2 to 3 ft.....  | 75     | <i>Sterculia platanifolia</i> . 2 to 3 ft.....        | 1 00   |
| 3 to 4 ft.....  | 1 00   | 3 to 4 ft.....  | 1 50   |
| 4 to 5 ft.....  | 1 50   | 4 to 5 ft.....  | 2 00   |
| 5 to 6 ft.....  | 1 75   | 5 to 6 ft.....  | 2 50   |
| 6 to 7 ft.....  | 2 00   | 8 to 10 ft.....                                       | 3 50   |
| <i>R. typhina laciniata</i> . 2 to 3 ft.....  | 2 00   | 10 to 12 ft.....                                      | 5 00   |
| <i>Robinia hispida</i> . 2 to 3 ft.....   | 50     | <i>Stewartia pentagyna</i> . 2 to 2½ ft.....          | 2 50   |
| 3 to 4 ft.....  | 75     | <i>Styrax japonica</i> . 2 to 3 ft.....               | 1 00   |
| <i>Rosa blanda</i> . 2 to 3 ft. Strong.....   | 75     | 3 to 4 ft.....  | 1 50   |
| <i>R.</i> , Climbing. 2-yr.....   | 75     | 4 to 5 ft.....  | 2 00   |
| American Pillar. Deep rose.   |        | 8 to 10 ft.....                                       | 3 50   |
| Aviateur Bleriot. Buds light orange-yellow; flowers creamy yellow, fading to white. |        | <i>Symporicarpos albus</i> . 2 to 3 ft.....           | 50     |
| Bess Lovett. Light crimson.   |        | <i>S. chenaultii</i> . 2 to 3 ft.....                 | 50     |
| Dorothy Perkins. Light pink.  |        | <i>S. vulgaris</i> . 2 to 3 ft.....                   | 50     |
| Dr. W. Van Fleet. Flesh-pink.   |        | <i>Syringa</i> , French Hybrids.                      |        |
| Emily Gray. Yellow.   |        | Alphonse Lavallee. Bluish lilac; double.              |        |
| Gardenia. Buds yellow, fading to white.   |        | 2 to 3 ft.....  | 1 00   |
| Heart of Gold. Purplish crimson flowers, yellow stamens.                            |        | Best Blue. Blue. 2 to 3 ft.....                       | 1 00   |
| Jacotte. Warm hues of yellow and coppery red.                                       |        | Charles the Tenth. Single; reddish violet.            |        |
| Mary Wallace. Warm pink flowers.  |        | 2 to 3 ft.....  | 1 00   |
| Mermaid. Single, light primrose blooms.   |        | Dr. Masters. Double; light pink.                      |        |
| Mme. Gregoire Staechelin. Large pink flowers.                                       |        | 18 to 24 in.....                                      | 1 00   |
| Paul's Scarlet Climber. Scarlet.  |        | Guizot. 2 to 3 ft.....                                | 1 00   |
| Primrose. Yellow.   |        | Hugo Koster. Single; lilac. 2 to 3 ft.....            | 1 00   |
| Scorcher. Brilliant red.  |        | 3 to 4 ft.....  | 1 50   |
| Silver Moon. Creamy white.  |        | Ludwig Spaeth. Dull purple. 2 to 3 ft.....            | 1 00   |
| Tausendschon. Variable color, from white through pink to rose.                      |        | Michel Buchner. Double; pinkish. 2 to 3 ft.....       | 1 00   |
| <i>R. rugosa</i> . 2 to 3 ft.....   | 75     | Mme. Casimir Perier. Double; white.                   |        |
| 3 to 4 ft.....  | 1 00   | 2 to 3 ft.....  | 1 00   |
| <i>R. nitida</i> . 2 to 3 ft.....   | 75     | 3 to 4 ft.....  | 1 50   |
| <i>R. polyantha</i> , in variety.....   | 50     | <i>President Grevy</i> . Double; blue-violet.         |        |
| <i>R. rouletti</i> . Rock-Garden Rose. 2-yr.....                                    | 50     | 2 to 3 ft.....  | 1 00   |
| <i>R. rugosa</i> . Red, pink, and white. 2 to 3 ft..                                | 50     | <i>Rene Jarry-Desloges</i> . Double; blue.            |        |
| <i>R. setigera</i> . 2 to 3 ft.....   | 75     | 2 to 3 ft.....  | 1 00   |
|   |        | <i>Stadig de Rothpletz</i> . Reddish. 2 to 3 ft.....  | 1 00   |
|   |        | 3 to 4 ft.....  | 1 50   |



*Thuja occidentalis pyramidalis*  
(Pyramidal Arborvitae)

|   | Each   |
|---|--------|
| <i>Syringa persica</i> . Purple. 3 to 4 ft.           | \$1.00 |
| <i>S. rothomagensis</i> . Lilac. 3 to 4 ft.           | 1.00   |
| <i>S. rothomagensis</i> , Sulte. Pinkish lilac.       |        |
| 2 to 3 ft.  | .75    |
| <i>S. villosa</i> . Lilac. 3 to 4 ft.                 | 1.00   |
| <i>S. vulgaris</i> . Lavender. 2 to 3 ft.             | .50    |
| 3 to 4 ft.  | .75    |
| <i>Tamarix africana</i> . 2 to 3 ft.                  | .50    |
| 4 to 5 ft.  | .75    |
| <i>T. gallica</i> . 2 to 3 ft.                        | .50    |
| <i>Thea sinensis bohea</i> . 18 to 24 in., B&B.       | 1.50   |
| 2 to 3 ft., B&B.                                      | .25    |
| 3 to 4 ft., B&B.                                      | .35    |
| 4 to 5 ft., B&B.                                      | .50    |
| <i>Thuja occidentalis conica densa</i> .              |        |
| 3 to 4 ft., B&B.                                      | .25    |
| 4 to 5 ft., B&B.                                      | .30    |
| <i>T. occidentalis globosa</i> . 12 to 18 in., B&B.   | 1.00   |
| 18 to 24 in., B&B.                                    | .50    |
| <i>T. occidentalis hoveyi</i> . 3 to 4 ft., B&B.      | 2.00   |
| 4 to 5 ft., B&B.                                      | .50    |
| <i>T. occidentalis plicata pyramidalis</i> .          |        |
| 4 to 5 ft., B&B.                                      | .25    |
| <i>T. occidentalis pumila</i> . 4 to 5 ft., B&B.      | .35    |
| 5 to 6 ft., B&B.                                      | .40    |
| <i>T. occidentalis pyramidalis</i> . 2 to 3 ft., B&B. | 1.00   |
| 3 to 4 ft., B&B.                                      | .50    |
| 4 to 5 ft., B&B.                                      | .50    |
| 5 to 6 ft., B&B.                                      | .60    |
| 8 to 10 ft., B&B.                                     | .60    |
| Larger specimens priced on application.               |        |
| <i>T. occidentalis wareana</i> . 2 to 3 ft., B&B.     | 2.00   |
| 3 to 4 ft., B&B.                                      | .50    |
| 4 to 5 ft., B&B.                                      | .50    |
| 5 to 6 ft., B&B.                                      | .60    |
| <i>T. orientalis</i> . 4 to 5 ft., B&B.               | 2.00   |
| 5 to 6 ft., B&B.                                      | .50    |
| 6 to 8 ft., B&B.                                      | .40    |
| <i>T. orientalis aurea nana</i> . 12 to 18 in., B&B.  | 1.00   |
| 18 to 24 in., B&B.                                    | .50    |
| 2 to 3 ft., B&B.                                      | .50    |

|  | Each   |
|--|--------|
| <i>Thuja orientalis aurea conspicua</i> .          |        |
| 2 to 3 ft., B&B.                                   | \$1.50 |
| 3 to 4 ft., B&B.                                   | 2.50   |
| <i>T. orientalis bakeri</i> . 2 to 3 ft., B&B.     | 1.50   |
| 3 to 4 ft., B&B.                                   | 2.00   |
| 4 to 5 ft., B&B.                                   | 2.50   |
| 5 to 6 ft., B&B.                                   | 3.00   |
| 6 to 7 ft., B&B.                                   | 3.50   |
| <i>T. orientalis excelsa</i> . 18 to 24 in., B&B.  | 1.50   |
| <i>Tilia americana</i> . 3 to 4 ft.                | 1.00   |
| 6 to 8 ft.   | 2.00   |
| 8 to 10 ft.  | 3.00   |
| 10 to 12 ft.                                       | 3.50   |
| <i>Tsuga canadensis</i> . 2 to 3 ft., B&B.         | 1.50   |
| 3 to 4 ft., B&B.                                   | 2.00   |
| 4 to 5 ft., B&B.                                   | 2.50   |
| 5 to 6 ft., B&B.                                   | 3.50   |
| 6 to 8 ft., B&B.                                   | 5.00   |
| Larger specimens priced on application.            |        |
| <i>T. canadensis</i> , sheared specimens.          |        |
| 3 to 4 ft., B&B.                                   | 2.50   |
| 4 to 5 ft., B&B.                                   | 3.00   |
| 5 to 6 ft., B&B.                                   | 4.00   |
| 6 to 8 ft., B&B.                                   | 6.00   |
| <i>T. caroliniana</i> . 4 to 5 ft., B&B.           | 3.50   |
| 6 to 8 ft., B&B.                                   | 10.00  |
| <i>Ulmus pumila</i> . 5 to 6 ft.                   | 1.50   |
| 6 to 8 ft.   | 2.50   |
| 8 to 10 ft.  | 3.50   |
| Larger specimens priced on application.            |        |
| <i>Viburnum burkwoodi</i> . 18 to 24 in., B&B.     | 3.50   |
| <i>V. carlesi</i> . 18 to 24 in., B&B.             | 2.50   |
| 2 to 3 ft., B&B.                                   | 3.50   |
| <i>V. cassinoides</i> . 2 to 3 ft.                 | .75    |
| 3 to 4 ft.   | 1.00   |
| <i>V. dentatum</i> . 3 to 4 ft.                    | .75    |
| <i>V. opulus</i> . 2 to 3 ft.                      | .50    |
| 3 to 4 ft.   | .75    |
| 4 to 5 ft.   | 1.00   |
| <i>V. opulus sterile</i> . 2 to 3 ft.              | .50    |
| 3 to 4 ft.   | .75    |
| <i>V. prunifolium</i> . 18 to 24 in.               | .50    |
| <i>V. rhytidophyllum</i> . 2 to 3 ft., B&B.        | 2.00   |
| 3 to 4 ft., B&B.                                   | 2.50   |
| 4 to 5 ft., B&B.                                   | 3.50   |
| <i>V. tomentosum plicatum</i> . 18 to 24 in.       | .50    |
| 2 to 3 ft.   | .75    |
| 3 to 4 ft.   | 1.00   |
| 5 to 6 ft.   | .50    |
| <i>V. wrighti</i> . 3 to 4 ft.                     | 1.00   |
| <i>Vinca major</i> . 2-yr.                         | .25    |
| <i>V. minor</i> . 2-yr.                            | .25    |
| <i>Vitex agnus-castus</i> . 2 to 3 ft.             | .50    |
| 3 to 4 ft.   | .75    |
| 4 to 5 ft.   | 1.00   |
| <i>V. macrophylla</i> . 3 to 4 ft.                 | .75    |
| 4 to 5 ft.   | 1.00   |
| Water-Lilies                                       | 1.00   |
| <i>Weigela</i> , Eva Rathke. 2 to 3 ft.            | .50    |
| 3 to 4 ft.   | .75    |
| <i>W. hendersoni</i> . 2 to 3 ft.                  | .50    |
| <i>W.</i> , Heroine. 3 to 4 ft.                    | .75    |
| <i>W. rosea</i> . 2 to 3 ft.                       | .50    |
| 3 to 4 ft.   | .75    |
| 4 to 5 ft.   | 1.00   |
| <i>Wisteria</i> , American. 18 to 24 in.           | .75    |
| 2 to 3 ft.   | 1.00   |
| <i>W.</i> , Sierra Madre. 4 to 5 ft.               | 1.50   |
| <i>W. sinensis</i> . Grafted blooming plants.      | 1.50   |
| <i>W. sinensis alba</i> . Grafted blooming plants. | 1.50   |
| <i>Yucca filamentosa</i> . 2-yr.                   | .25    |
| 4-yr.  | .50    |
| <i>Zanthoxylum schinifolium</i> . 2 to 3 ft.       | 1.00   |
| <i>Zelkova serrata</i> . 8 to 10 ft.               | 3.50   |



## Perennial Plants for Permanent Gardens

The star (\*) preceding a variety name indicates that the plants are adapted to rock-garden use.

Our perennials are priced at 25 cts. each, \$2.50 per dozen (when a dozen of one variety is taken) except where noted

Perennials selected at the nursery and taken with a ball of dirt are priced according to the clump and individually. Under no conditions whatsoever do we guarantee perennials to grow.

**Achillea millefolium roseum.**

\***A. ptarmica**, The Pearl.

\***A. tomentosa**.

\***Ajuga reptans**.

\***Alyssum rostratum**.

\***A. saxatile compactum**.

**Amsonia tabernaemontana**.

**Anchusa italicica**, Dropmore.

**Anthemis tinctoria**.

**Aquilegia canadensis**.

A., Long-spurred Hybrids.

A., Old-fashioned, Mixed.

\***Arabis alpina**.

\***Arenaria verna**.

**Artemisia vulgaris lactiflora**.

A. vulgaris, Silver King.

**Arundo donax**.

\***Asarum canadense**.

**Asclepias tuberosa**.

\***Aster alpinus**.

A., Birdsong.

\*A., Countess of Dudley (dwarf).

A., Daphne.

**Astilbe**, Ceres, 50 cts. each.

\***Aubrieta deltoidea eyrei**.

**Baptisia australis**.

**Belamcanda chinensis**.

**Boltonia latisquama**.

\***Calamintha alpina**.

\***Callirhoe involucrata**.

**Campanula latifolia**.

C. pyramidalis.

\***C. rotundifolia**.

**Centaurea dealbata**.

**Centranthus ruber**.

**Cephalaria tatarica**.

\***Cerastium tomentosum**.

**Ceratostigma plumbaginoides**.

\***Cheiranthus allioni**.

### Garden Chrysanthemums

**Apollo**.

**Ceres**.

**Daphne**.

**Diana**.

**Mrs. H. Harrison**.

**Mars**.

**Mercury**.

**Murillo**.

**Pink Cushion**.

**Button**. Unnamed varieties.

**Double**.

\***Convallaria majalis**.

**Delphinium**, Wrexham Hybrids.

\***Dianthus caesius**.

\***D. deltoides**.

\***D. plumarius**.

\***Dicentra eximia**.

**D. spectabilis**, 50 cts. each.



**Digitalis**, Giant Shirley.

\***Epimedium macranthum violaceum**.

**Eupatorium coelestinum**.

\***Euphorbia myrsinites**.

\***Festuca glauca**.

\***Filipendula hexapetala**.

**Gaillardia aristata**.

G., Sun God, 50 cts. each.

**Grasses**, Hardy Ornamental.

**Gypsophila**, Bristol Fairy, 50 cts. each.

G. paniculata compacta.

**Helenium autumnale superbum**.

**Heliopsis helianthoides pitcheriana**.

### Hemerocallis • Day Lily

Select plants, 50 cts. each

**Bay State**.

**Gypsy**.

J. A. Crawford.

**Lemon**.

**Mrs. W. H. Wyman**.

**The Gem**.

\***Hepatica triloba**.

\***Heuchera rosmundi**.

\***H. sanguinea**.

**Hibiscus moscheutos**, 25 cts. and 50 cts. each.

**Hollyhock**, Mixed.

H., Newport Pink.

**Hosta lanceolata**.

**H. lanceolata variegata**.

**H. minor alba**.

**H. subcordata**, 50 cts. each.

\***Hypericum reptans**, 50 cts. each.

\***Iberis sempervirens**.

\***Inula ensifolia**.



German Iris make a wonderful show of color in May and June

**Iris germanica**  
**German Iris**

Ambassadeur.  
Andrew Jackson.

Asia.

Beacon.

Black Wings.

Blue Banner.

Bounty.

Cardinal.

Chromylla.

Corrida.

Dauntless.

Desert Gold.

Dolly Madison.

Frieda Mohr.

Gay Hussar.

Gold Imperial.

Hermitage.

Kashmir White.

La Neige.

Labor.

Lord of June.

Mildred Presby.

Moonlight.

Morning Glory.

Morning Splendor.

Queen of May.

Red Cloud.

Rob Roy.

Sea Dawn.

Selene.

Shekinah.

Tokay.

True Delight.

Violet Crown.

Iris kaempferi.

I. orientalis.

\*I. pumila.

\*I. pumila, Blue Beard.

I. sibirica.

\*I. verna.

*Lathyrus* latifolius.

*Lavandula* spica.

*Liatris* scariosa.

*Lilium* elegans.

*L. tigrinum.*

*L.*, Wild.

\**Linum* flavum.  
\**L. perenne.*  
\**L. perenne album.*  
\**Lotus corniculatus.*  
\**Lychnis alpina.*  
L. coronaria.  
\**L. haageana.*  
L. viscaria splendens.  
*Lycoris squamigera*, 50 cts. each.  
\**Lysimachia nummularia.*  
*Lythrum salicaria roseum*  
superbum.  
\**Matricaria parthenoides.*  
\**Mazus reptans.*  
*Mertensia virginica.*  
*Monarda didyma*, Cambridge  
Scarlet.  
\**Myosotis palustris.*  
\**Nepeta mussini.*  
N., Souvenir de Andre Chaudron.  
\**Nierembergia gracilis.*  
\**Ophiopogon jaburan*, 25 cts. and  
50 cts. each.  
\**O.*, Broad Leaf.  
*Paeonia*, 50 cts. each.  
*Papaver orientale.*  
*Pentstemon barbatus coccineus.*  
*P. grandiflorus.*  
\**Phlox amoena.*  
P. decussata, Count Zeppelin.  
P. decussata, E. I. Farrington.  
P. decussata, Michel Buchner.  
\**P. divaricata laphami.*  
*P. subulata.*  
\**P. subulata alba.*  
\**P. subulata*, Apple Blossom.  
\**P. subulata*, Asheville Blue.  
\**P. subulata atropurpurea.*  
\**P. subulata vivida.*  
\**P. sylvestris.*  
*Physostegia virginiana vivida.*  
*Platycodon grandiflorum mariesi.*  
*P. grandiflorum mariesi album.*  
\**Primula polyantha.*  
\**Prunella grandiflora.*  
\**P. grandiflora rosea.*  
*Pyrethrum* Hybrids.  
\**Ranunculus repens.*

*Rosmarinus officinalis.*  
*Rudbeckia laciniata*, Golden  
Glow.  
R. maxima.  
R. newmani.  
R. purpurea.  
*Salvia azurea.*  
S. greggi.  
\**Sanguinaria canadensis.*  
\**Santolina chamaecyparissus.*  
\**Saponaria ocymoides splendens.*  
\**Saxifraga cordifolia megasi* Hy-  
brids.  
\**Sedum acre.*  
\**S. album.*  
\**S. dasypodium.*  
\**S. kamtschaticum.*  
\**S. obtusatum.*  
\**S. sarmentosum.*  
\**S. sexangulare.*  
\**S. sieboldii.*  
\**S. spectabilis.*  
\**S. spectabilis*, Brilliant.  
\**S. stolonifera.*  
\**Sempervivum*, Assorted.  
\**Silene wherryi.*  
\**Stachys lanata.*  
\**Statice latifolia.*  
*Stokesia laevis.*  
*Thalictrum aquilegifolium.*  
*Thermopsis caroliniana.*  
\**Thymus serpyllum album.*  
\**T. serpyllum coccineus.*  
\**T. serpyllum lanuginosus.*  
\**T. serpyllum vulgaris.*  
*Tiarella cordifolia.*  
*Tradescantia virginiana.*  
*Tritoma.*  
\**Tunica saxifraga.*  
\**Verbena.*  
\**Veronica incana.*  
V. longifolia subsessilis.  
\**V. repens.*  
V. spicata.  
V. spuria elegans.  
\**V. teucrium*, Royal Blue.  
\**V. teucrium rupestre.*  
\**Viola odorata.*

**HOWELL NURSERIES, Knoxville, Tenn.**

TELEPHONE 3-2426

PRINTED  
IN  
U.S.A.